SAFETY DATA SHEET NAME OF PRODUCT: SLIPIT® Sliding Compound

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: SYNONYMS: PRODUCT CODES:	SLIPIT® Sliding Compound			
	10435, 40435, 16435, 32435, 50435, xx435			
MANUFACTURER:	Fehr Bros. Industries, Inc			
ADDRESS:	895 Kings Highway, Saugerties NY 12477			
EMERGENCY PHONE:800-255-3924CHEM-TELL PHONE:800-255-3924OTHER CALLS:845-246-9525FAX PHONE:845-246-3330				
CHEMICAL FAMILY: Petroleum distaltes				
PRODUCT USE: Lubricant				
SECTION 2: HAZARDS IDENTIFICATION POTENTIAL HEALTH EFFECTS EYES: Yes - Irritation SKIN: Yes-Slight Irritation INGESTION: Yes INHALATION: Yes				
CHRONIC HEALTH HAZARDS: None Known				
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: None known				
CARCINOGENICITY OSHA: No	ACGIH: NTP: No IARC: No			

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Product name: SLIPIT® Sliding Compound

Hazaradous Ingredients: No hazardous ingredients

Composition: The specific chemical identityand/ or exact percentage (concentration) of composition is proprietary and withheld.

SECTION 3 NOTES:

Letter of Guarantee for entrance into USDA inspected sites may be found at www.slipit.com. FDA accepted for use in applications with incidental food contact in accordance with CFR 178.3570. CFIA accepted for use in applications with incidental food contact.

SECTION 4: FIRST AID MEASURES

EYES:	Flush with plenty of water
SKIN:	Wash with soap and water
INGESTION:	Non-toxic – Induction of vomiting not required
INHALATION:	Remove to fresh air.

SECTION 5: FIRE-FIGHTING MEASURES

FLAMMABLE LIMITS IN AIR, (% BY VOLUME)	UPPER: LOWER:	Not determined Not determined		
FLASH POINT: 395 F (COC)				
AUTOIGNITION TEMPERATU	RE: 675 F (Estima	ited)		
NFPA HAZARD CLASSIFICA HEALTH: 0	TION FLAMMABILI	TY: 1	REACTIVITY:	0
HMIS HAZARD CLASSIFICAT HEALTH: 0	FLAMMABIL	ITY: 1	REACTIVITY:	0

EXTINGUISHING MEDIA: Dry chemical powder, CO-2, Foam

SPECIAL FIRE FIGHTING PROCEDURES: Fire fighters should wear a NIOSH approved, pressure demand, self-contained breathing apparatus when fighting fires.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon Monoxide, Carbon Dioxide

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: Contain spill – absorb with inert material. Do not use combustible materials such as sawdust.

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Do not transfer to unmarked containers. Store away from excessive heat, sparks, open flame or oxidizing materials. This product is not classified under DOT Regulations. NFPA Class 111B Storage.

OTHER PRECAUTIONS: No additional precautions or labels.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

 ENGINEERING CONTROLS:

 VENTILATION :
 Local Exhaust:

 If needed to maintain workable concentration elow permissible exposure limit.

 RESPIRATORY PROTECTION:
 Not required under conditions of normal use.

 EYE PROTECTION:
 Not required under conditions of normal use

 SKIN PROTECTION:
 Not required under conditions of normal use

 OTHER PROTECTIVE CLOTHING OR EQUIPMENT:
 None

 WORK HYGIENIC PRACTICES:
 No unusual precautions

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Cream color Little or no odor ODOR: PHYSICAL STATE: Soft Paste pH AS SUPPLIED: NA BOILING RANGE: 570 F - 900 F Wide Range MELTING POINT: 130 F FREEZING POINT: ND VAPOR PRESSURE (mmHg): below .0001 @ 20 C VAPOR DENSITY (AIR = 1): N/A SPECIFIC GRAVITY (H2O = 1): 0.945 @ 20 C **EVAPORATION RATE:** Nil SOLUBILITY IN WATER: Nil PERCENT SOLIDS BY WEIGHT: 100% **PERCENT VOLATILE: 0%** VOLATILE ORGANIC COMPOUNDS (VOC): 0%

SECTION 10: STABILITY AND REACTIVITY

STABILITY:StableCONDITIONS TO AVOID (STABILITY):SparksINCOMPATIBILITY (MATERIAL TO AVOID):StrongHAZARDOUS DECOMPOSITION OR BY-PRODUCTS:HAZARDOUS POLYMERIZATION:Will not occurCONDITIONS TO AVOID (POLYMERIZATION):NA

Sparks – Open Flame Strong oxidizers like chlorine and concentrated oxygen. JCTS: Incomplete combustion will produce carbon monoxide and carbon dioxide. ccur

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: LD50 (g/kg) – Les than 30

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: No Data Available

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: In accordance with federal, state and local regulations. Do not flush to drain/storm sewer. Contract authorized disposal service. RCRA HAZARD CLASS: Non-Hazardous Waste

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION PROPER SHIPPING NAME: Petroleum Lubricant Paste HAZARD CLASS: NA (Non-Hazardous) ID NUMBER: NA PACKING GROUP: NA LABEL STATEMENT: NA – None Required

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS TSCA (TOXIC SUBSTANCE CONTROL ACT): All Components Listed

311/312 HAZARD CATEGORIES: Acute: No Chronic: No Fire: No Reactivity: No

SECTION 16: OTHER INFORMATION

OTHER INFORMATION: SDS date: 2020