## SAFETY DATA SHEET NAME OF PRODUCT: SLIPIT® Liqui-Form

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME:	SLIPIT® Liqui-Form					
SYNONYMS: PRODUCT CODES:	16595, 32595, 50595, xx595					
MANUFACTURER:	FehrBros. Industries					
ADDRESS:	895 Kings Highway Saugerties NY 12477					
EMERGENCY PHONE:         800-255-3924           CHEM-TELL PHONE:         800-255-3924           OTHER CALLS:         845-246-9525           FAX PHONE:         845-246-3330						
CHEMICAL FAMILY: Petroleum hydrocarbon						
PRODUCT USE: Lubricant						
-	I EFFECTS es - Irritation es-Slight Irritation					
INHALATION: Y	es					
ACUTE HEALTH HAZARDS: None Known						
CHRONIC HEALTH H	IAZARDS: None Known					
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: None known						
CARCINOGENICITY OSHA: No	ACGIH:	NTP: No	IARC: No			
SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS						
Product name: SLIPIT® Liqui-Form						

Hazaradous Ingredients: No hazardous ingredients

# Composition: The specific chemical identityand/ or exact percentage (concentration) of composition is proprietary and withheld.

#### SECTION 3 NOTES:

Letter of Guarantee for entrance into USDA inspected sites may be found at www.slipit.com. FDA accepted for use in applications with incidental food contact in accordance with CFR 178.3570. CFIA accepted for use in applications with incidental food contact.

## SECTION 4: FIRST AID MEASURES

EYES:Flush with plenty of waterSKIN:Wash with soap and waterINGESTION:Non-toxic – Induction of vomiting not requiredINHALATION:Remove to fresh air.

### SECTION 5: FIRE-FIGHTING MEASURES

FLAMMABLE LIMITS IN AIR, (% BY VOLUME)	UPPER: LOWER:	Not determined Not determined					
FLASH POINT: 395 F (COC)							
AUTOIGNITION TEMPERATURE: 675 F (Estimated)							
NFPA HAZARD CLASSIFICATION HEALTH: 0 FLAMMABILITY: 1 REACTIVITY: 0							
HMIS HAZARD CLASSIFICATION         HEALTH:       0         FLAMMABILITY:       1         REACTIVITY:       0							
EXTINGUISHING MEDIA:	Dry chemical powd	ler , CO-2, Foam					

**SPECIAL FIRE FIGHTING PROCEDURES:** Fire fighters should wear a NIOSH approved, pressure demand, self-contained breathing apparatus when fighting fires.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon Monoxide, Carbon Dioxide

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: Contain spill – absorb with inert material. Do not use combustible materials such as sawdust.

#### SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Do not transfer to unmarked containers. Store away from excessive heat, sparks, open flame or oxidizing materials. This product is not classified under DOT Regulations. NFPA Class 111B Storage.

**OTHER PRECAUTIONS:** No additional precautions or labels.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

 ENGINEERING CONTROLS:

 VENTILATION :
 Local Exhaust:

 RESPIRATORY PROTECTION:
 If needed to maintain workable concentration elow permissible exposure limit.

 RESPIRATORY PROTECTION:
 Not required under conditions of normal use.

 EYE PROTECTION:
 Not required under conditions of normal use

 SKIN PROTECTION:
 Not required under conditions of normal use

 OTHER PROTECTIVE CLOTHING OR EQUIPMENT:
 None

 WORK HYGIENIC PRACTICES:
 No unusual precautions

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Light Tan Color ODOR: Little or no odor PHYSICAL STATE: Liquid pH AS SUPPLIED: NA BOILING RANGE: 570 F - 900 F Wide Range **MELTING POINT:** 130 F FREEZING POINT: ND VAPOR PRESSURE (mmHg): below .0001 @ 20 C VAPOR DENSITY (AIR = 1): N/A SPECIFIC GRAVITY (H2O = 1): 0.945 @ 20 C EVAPORATION RATE: Nil SOLUBILITY IN WATER: Nil PERCENT SOLIDS BY WEIGHT: 100% PERCENT VOLATILE: 0% VOLATILE ORGANIC COMPOUNDS (VOC): 0%

#### SECTION 10: STABILITY AND REACTIVITY

 STABILITY:
 Stable

 CONDITIONS TO AVOID (STABILITY):
 Sparks – Open Flame

 INCOMPATIBILITY (MATERIAL TO AVOID):
 Strong oxidizers like chlorine and concentrated oxygen.

 HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:
 Incomplete combustion will produce carbon monoxide and carbon dioxide.

 HAZARDOUS POLYMERIZATION:
 Will not occur

 CONDITIONS TO AVOID (POLYMERIZATION):
 NA

#### SECTION 11: TOXICOLOGICAL INFORMATION

#### TOXICOLOGICAL INFORMATION: LD50 (g/kg) – Les than 30

#### SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: No Data Available

#### SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: In accordance with federal, state and local regulations. Do not flush to drain/storm sewer. Contract authorized disposal service. RCRA HAZARD CLASS: Non-Hazardous Waste

#### SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION PROPER SHIPPING NAME: Petroleum Lubricant HAZARD CLASS: NA (Non-Hazardous) ID NUMBER: NA PACKING GROUP: NA LABEL STATEMENT: NA – None Required

#### SECTION 15: REGULATORY INFORMATION

#### U.S. FEDERAL REGULATIONS TSCA (TOXIC SUBSTANCE CONTROL ACT): All Components Listed

311/312 HAZARD CATEGORIES: Acute: No Chronic: No Fire: No Reactivity: No

SECTION 16: OTHER INFORMATION

OTHER INFORMATION: SDS date: 2020